CORTLAND

FLY FISHING PRODUCT GUIDE

CONTENTS

TECHNOLOGY	*1*	LIQUID CRYSTAL SERIES	*38*
TROUT SERIES	*2*	CLASSIC SERIES 444 AND 333 FLY LINE	*42*
COMPETITION SERIES	*8*	TIPPET AND LEADERS	*52*
TWO-HANDED SERIES	*16*	BACKING & EXTENSIONS	*58*
SPECIALTY SERIES	*22*	ACCESSORIES	*60*
TROPIC PLUS SERIES	*28*	PERFORMANCE FLY RODS	*62*

PHOTO CREDIT

KNOX KRONENBERG PATRICK DUKE SILVER KINGS TV CHRISTIAAN PRETORIUS CHRIS SHEEDER
WILL TAYLOR MATT RUSCH FLY FISH NATION JAKO LUCAS LLEWELLYN CLAVEN KEITH ROSE-INNES

WELDED LOOPS

Welded loops make rigging fast, easy and reliable. Cortland loops are strong, secure and durable.

HIGH FLOATING DYNA-TIP

Dyna-Tip technology reduces the density of fly line tips. Resulting in higher tip and leader flotation while improving line management.

SHOOTING TECHNOLOGY

ST coating delivers a reduced-friction performance with a glass-smooth finish and remains a key element in line slickness over its life span.

POLYETHYLENE

Liquid Crystal lines are built with a blend of Polyethylene compounds (PE) over a monofilament core resulting in the toughest, slickest-shooting, floating fly lines.

GRIP SET

Designed to give the angler a better hook set when targeting large game fish or fish with hard mouths.

HEAT-TEMPERED SURFACE TREATMENT

A process that incorporates extreme slickness additives. Seals out dirt and oils while maintaining an exceptionally low friction coefficient.

FIFTY+ CORE

Built for the most demanding species. Core strength of more than 50lbs allows anglers to put maximum drag and pressure on a fish without compromising the taper design or line density.

TOP SECRET

Top Secret is a highly abrasion resistant, supple material allowing for superior knot strength while remaining virtually clear under water.

HANG MARKERS

Hang Technology is a highly visible color transition identifying when it's time to fish the "hang" during a retrieve.

COLD TEMPERATURE

Ideal use in 30 - 50 degree (F) temperatures

WARM TEMPERATURE

Ideal use in 50 - 70 degree (F) temperatures

TROPICAL TEMPERATURE

Ideal use in 70 + degree (F) temperatures

AFFTA APPROVED
FLY LINE WEIGHT SPECIFICATIONS CHART

LINE WEIGHT	GRAINS AT 30ft	GRAMS AT 30ft
1	60	3.90
2	80	5.20
3	100	6.50
4	120	7.80
5	140	9.10
6	160	10.40
7	185	12.00
8	210	13.60
9	240	15.55
10	280	18.15
11	330	21.40
12	380	24.60
13	450	29.20
14	500	32.40
15	550	35.60

FLY LINE DENSITY CHART
TAPER PERFORMANCE



FLY LINE SINK RATES
IPS: INCH PER SECOND

HOVER	NEUTRAL
SLOW INTERMEDIATE	1 IPS
MEDIUM INTERMEDIATE	1.5 - 2 IPS
FAST INTERMEDIATE	2 - 3 IPS
TYPE 3	3 - 4 IPS
TYPE 4	4 - 5 IPS
TYPE 5	5 - 6 IPS
TYPE 6	6 - 7 IPS
TYPE 7	7 - 8 IPS
TYPE 9	9+ IPS

TROUT
SERIES

FOR VERSATILE ANGLERS WHO TARGET TROUT IN EVERY SEASON

Trout Series fly lines are designed with slick coatings and tapers built to extend your cast. Perfect for targeting the biggest fish, you can choose the right line for fishing smaller or larger flies.

NEW PRODUCT

ULTRALIGHT

FLOATING

FRESHWATER

LINE LENGTH: 80ft / 90ft





Ultralight line features a long front taper for very delicate presentations and precise loop control.

- Extremely Fine Front Taper
- Thinner Overall Diameter
- Delicate Presentations

AQUA GREEN / DARK GREEN / PALE YELLOW

CORE: BRAIDED NYLON MULTIFILAMENT

LINE LENGTHS: 2 - 3wt 80ft | 4 - 6wt 90ft

SIZE WF	2	3	4	5	6
GRAIN WEIGHT	80	100	120	140	160

NEW PRODUCT

TROUT BOSS DT

FLOATING

FRESHWATER

LINE LENGTH: 80ft / 90ft





Trout Boss Double Taper features an aggressive front taper that loads quickly for short range delivery. Long level body is ideal for roll casting at greater distances.

- Aggressive Front Taper
- Easy Mending
- High Floating

MOSS GREEN / YELLOW / ORANGE

CORE: BRAIDED NYLON MULTIFILAMENT

LINE LENGTHS: 2 - 3wt 80ft | 4 - 6wt 90ft

SIZE DT	2	3	4	5	6
GRAIN WEIGHT	100	120	140	160	185

TROUT BOSS

WELDED LOOPS · HTX · ST · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 100ft

Features a complex taper, thinner core and our proprietary heat-tempered surface treatment (HTx).

- Quick Loading
- High Floating
- Easy Casting

CHARTREUSE / WHITE

GREEN / YELLOW

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF CHARTREUSE / WHITE	-	3	4	5	6	7	8
SIZE WF GREEN / YELLOW	2	3	4	5	6	7	8
GRAIN WEIGHT	100	120	140	160	185	210	240

FINESSE TROUT II

WELDED LOOPS · ST · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 90ft

Our revolutionary Finesse Trout II is designed for fishing small flies at greater distances in complex currents.

- Delicate Presentations
- High Floating
- Highly Accurate

HERON / LIGHT BLUE

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	2	3	4	5	6
GRAIN WEIGHT	90	110	130	150	170

BIG FLY

WELDED LOOPS · ST · dyna-TIP · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 100ft

The perfect taper profile for casting large flies or when fishing in heavy winds.

- Aggressive Taper
- High Floating Tip
- Quick Loading



WHITE / LIGHT GREEN

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5	6	7	8	9	10
GRAIN WEIGHT	160	185	210	240	280	330

INDICATOR NYMPH

WELDED LOOPS · ST · dyna-TIP · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 100ft

Cortland's Indicator Nymph line makes casting multi-fly indicator rigs easy.

- High-Visibility Indicator Tip
- Short Front Taper
- Easy Roll Casting Design



CHARTREUSE / GRAY

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	4	5	6	7	8
GRAIN WEIGHT	120	140	160	185	210

CORTLAND



COMPETITION
SERIES

SPECIFICALLY DESIGNED TO MEET THE DEMANDS OF THE BEST ANGLERS AROUND THE WORLD

Cortland has developed an entire range of products dedicated to the best anglers who demand the highest level of performance on rivers and lakes. A complete offering of lake/reservoir lines has been finely tuned to complement any tactic you need to employ. From extreme distance in the FO-Tech lines to density compensated sinking lines with hang markers, we know you'll be better suited the next time you hit the water.

COMPETITION BRAID CORE

FLOATING

FRESHWATER

LINE LENGTH: 90ft

Super-thin, strong and sensitive braided core. Ultra-thin diameter launches your flies with precision. Designed for modern nymphing techniques.

- Level or Double Taper
- Modern Nymphing Techniques
- Ultra-thin Diameter



SAGE GREEN

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE LEVEL	.022
SIZE DT	.022

COMPETITION MONO CORE

FLOATING

FRESHWATER

LINE LENGTH: 90ft

Built with a proven taper and thin, hard monofilament core, which transfers energy better and reduces line sag. Designed for nymphing.

- Level or Double Taper
- Modern Nymphing Techniques
- Ultra-thin Diameter



GECKO GREEN

CORE: MONOFILAMENT

SIZE LEVEL	-	.022	-	-
SIZE DT	.017	.022	.024	.026

FO-TECH FLOAT

FLOATING

FRESHWATER

LINE LENGTH: 130ft

Ideal for fishing from a boat or bank angling when floating lines are needed. Head and running line color change ensures line control and promotes better shoot-ability.

- Extreme Distance
- Quick Loading
- High Floating

WHITE / YELLOW



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

FO-TECH INTERMEDIATE

INTERMEDIATE / FLOATING

FRESHWATER

LINE LENGTH: 130ft

Built with an aggressive taper to load rods quickly in a boat or when angling from a bank. Perfect sink rate for fishing flies just under the surface at far distances.

- Extreme Distance
- Sink Rate 2-3 IPS
- Floating Running Line

SMOKE / YELLOW



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

FO-TECH
TYPE 3 / 5 / 7

SINKING / INTERMEDIATE

FRESHWATER

LINE LENGTH: 130ft

FO-Tech fly lines are built for fishing flies below the surface. The aggressive taper design and a 130ft overall length gives you an ideal sinking line when long casts are needed.

- Extreme Distance
- Density Compensated

BROWN / YELLOW
FO-TECH TYPE 3

GRAY / YELLOW
FO-TECH TYPE 5

BLACK / YELLOW
FO-TECH TYPE 7

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

HOVER

HOVER

FRESHWATER

LINE LENGTH: 110ft

Designed to sit right under the surface film and stay there. The neutral density line is built on a long level tapered head to ensure a consistent presentation.

- Hover Density
- Stealthy Presentations
- Distance Shooting

LIGHT BROWN

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

SLOW INTERMEDIATE

SLOW INTERMEDIATE

FRESHWATER

LINE LENGTH: 110ft

Features a long level taper head design and sinks at an ideal rate of 1 IPS. Built to fish flies just below the surface film.

- Sink Rate 1 IPS
- Distance Shooting
- Stealthy Presentations

GREEN



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

MEDIUM INTERMEDIATE

MEDIUM INTERMEDIATE

FRESHWATER

LINE LENGTH: 110ft

Medium Intermediate features hang markers at 14ft & 24ft. Hang markers indicate when it's a perfect time to hang your flies.

- Sink Rate 1.5-2 IPS
- Distance Shooting
- Hang Marker Indicators

OLIVE



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

FAST INTERMEDIATE

FAST INTERMEDIATE

FRESHWATER

LINE LENGTH: 110ft

Fast Intermediate features hang markers at 14ft & 24ft. An aggressive density compensated taper design allows flies to achieve proper depths.

- Sink Rate 2-3 IPS
- Distance Shooting
- Hang Marker Indicators

DEEP GREEN



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

SEEK
TYPE 3 / 5 / 7

SINKING

FRESHWATER

LINE LENGTH: 110ft

Built on a unique sinking taper design allowing you to search the depths. A length of 110ft gives you the ability to reach greater distances.

- Slow Sinking Tip
- Fast Sinking Belly

BROWN
SEEK TYPE 3

GRAY
SEEK TYPE 5

BLACK
SEEK TYPE 7



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

LEVEL SINK
TYPE 3 / 5 / 7 / 9

WELDED LOOPS · HANG · ST · COLD · WARM

SINKING

FRESHWATER

LINE LENGTH: 110ft



Sinking, density compensated lake lines that are perfect for fishing the deepest water. Level Sink Type 3 / 5 / 7 feature hang markers at 14ft & 24ft.

- Distance Shooting
- Quick Loading
- Aggressive Taper

BROWN
LEVEL SINK TYPE 3

GRAY
LEVEL SINK TYPE 5

BLACK
LEVEL SINK TYPE 7

BLACK
LEVEL SINK TYPE 9

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5 / 6	6 / 7	7 / 8
GRAIN WEIGHT	195	225	255

TWO-HANDED
SERIES

BUILT TO GRAB ANY SWITCH OR SPEY CASTER'S ATTENTION

Two-handed Series Spey fly lines are rated for both rod length and line weight. Each is designed to effortlessly execute Spey, roll and overcasts. Harder, stiffer running lines provide maximum shoot-ability. On the switch side, we offer a line with all of the Spey features, but with a more compact head for carrying extra energy and positive turnover for casting sink-tips or large flies.



COMPACT SWITCH

FLOATING

FRESHWATER

LINE LENGTH: 100ft

Our Compact Switch excels at Skagit style long-range casts. This floating two-handed line pairs well with sink tips.

- Skagit Style Head
- Low Friction Running Line
- Easy Casting

LIME GREEN / IVORY



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	4	5	6	7	8
GRAIN WEIGHT	240	300	375	425	485

SHORT BELLY SPEY

FLOATING

FRESHWATER

LINE LENGTH: 100ft

Short Belly Spey line is the right choice for short (11 to 13ft) Spey rods.

- High Floating
- Quick Loading
- Easy Casting

LIGHT BLUE / BRIGHT ORANGE



CORE: BRAIDED NYLON MULTIFILAMENT

GRAIN WEIGHT	450	500	550	625

MEDIUM BELLY SPEY

FLOATING

FRESHWATER

LINE LENGTH: 110ft

Medium Belly Spey line is ideal for most midsized (12 to 13ft) Spey rods.

- High Floating
- Quick Loading
- Easy Casting



MEDIUM BLUE / BRIGHT ORANGE

CORE: BRAIDED NYLON MULTIFILAMENT

GRAIN WEIGHT	500	550	600	675

LONG BELLY SPEY

FLOATING

FRESHWATER

LINE LENGTH: 120ft



Long Belly Spey line is sized for the longest (13 to 15ft) Spey rods.

- High Floating
- Quick Loading
- Easy Casting



ELECTRIC BLUE / BRIGHT ORANGE

CORE: BRAIDED NYLON MULTIFILAMENT

GRAIN WEIGHT	550	600	650	725

4x4



SPECIALTY
SERIES

UNIQUE TAPERS AND DENSITIES FOR THOSE THINKING OUTSIDE THE BOX

Specialty Series fly lines allow you to fish to precise depths in moving or still water. Our Shooting Technology delivers a reduced-friction performance with a glass smooth finish. These lines let you shorten your leader in windy conditions and just may be the perfect fly lines for line-shy trout, steelhead and salmon.

OMNI-VERSE

WELDED LOOPS · ST · COLD · WARM

FLOATING

FRESHWATER LINE LENGTH: 100ft

Built to throw nymphs, wet flies, small streamers, dries and bombers. Omni-Verse is the most versatile long belly line.

- 62ft Head
- Long Belly
- Distance Shooting

MOSS / WHITE

ORANGE / WHITE



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	4	5	6	7	8	9	10
GRAIN WEIGHT	120	140	160	185	210	240	280

COMPACT FLOAT

WELDED LOOPS · HTX · ST · COLD · WARM

FLOATING

FRESHWATER / *SALTWATER* LINE LENGTH: 100ft

Features a full floating short, compact, aggressive head design that loads deep and shoots an extreme amount of line with minimal false casts.

- Loads Quick
- Powerful Taper
- Slick and Supple

GREEN / YELLOW



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5/6	6/7	7/8	9/10	11/12
GRAIN WEIGHT	200	240	275	350	425

COMPACT INTERMEDIATE

WELDED LOOPS · HTX · ST · COLD · WARM · TROPICAL

INTERMEDIATE / FLOATING

FRESHWATER / *SALTWATER*

LINE LENGTH: 100ft

Features a compact head that delivers quick and accurate casts with minimal false casting.

- Loads Quick
- Floating Running Line
- 26ft Clear Intermediate Head



CLEAR / LIGHT BLUE

CORE: MONOFILAMENT

SIZE WF	5/6	6/7	7/8	9/10	11/12
GRAIN WEIGHT	200	240	275	350	425

COMPACT SINK

TYPE 3 / 6 / 9

WELDED LOOPS · HTX · ST · COLD · WARM · TROPICAL

SINKING / INTERMEDIATE

FRESHWATER / *SALTWATER*

LINE LENGTH: 100ft

The world's most versatile sinking lines that are rated for all temperature conditions. Each line features a 28ft sinking head.

- Sinking Head
- Slick and Supple



BROWN / ELECTRIC YELLOW
SINK TYPE 3

BLACK / ELECTRIC GREEN
SINK TYPE 6

BLACK / LIGHT BLUE
SINK TYPE 9

CORE: MONOFILAMENT

SIZE WF	5/6	6/7	7/8	9/10	11/12
GRAIN WEIGHT	200	240	275	350	425

QUICK DESCENT 15

WELDED LOOPS · ST · COLD · WARM

SINKING / FLOATING

FRESHWATER / *SALTWATER* LINE LENGTH: 100ft



Quick Descent 15 lines are designed to be the perfect choice for getting down deep quickly.

- 15ft Sinking Tip
- Type 6 Sink Rate

BLACK / BRIGHT GREEN
QD 15 - 200gr

BLACK / YELLOW
QD 15 - 250gr

BLACK / MEDIUM BLUE
QD 15 - 300gr

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5/6	7/8	8/9
GRAIN WEIGHT	200	250	300

QUICK DESCENT 24

WELDED LOOPS · ST · COLD · WARM

SINKING / FLOATING

FRESHWATER / *SALTWATER* LINE LENGTH: 100ft



Quick Descent 24 lines are designed to be the perfect choice for getting down deep quickly.

- 24ft Sinking Tip
- Type 6 Sink Rate

BLACK / OLIVE GREEN
QD 24 - 200gr

BLACK / ORANGE
QD 24 - 250gr

BLACK / YELLOW
QD 24 - 300gr

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5/6	7/8	8/9
GRAIN WEIGHT	200	250	300

GHOST TIP
5 / 15

INTERMEDIATE / FLOATING

FRESHWATER / *SALTWATER*

LINE LENGTH: 90ft

Clear 5ft / 15ft intermediate tip line that's ideal for fishing lake depths from surface to 15ft or for nymphing in rivers and streams.

- 5ft / 15ft Clear Intermediate Tip
- High Floating Running Line
- Easy Handling

CLEAR / MINT GREEN

CORE: MONOFILAMENT



SIZE WF GHOST TIP 5ft	5	6	7	8	-	-
SIZE WF GHOST TIP 15ft	5	6	7	8	9	10
GRAIN WEIGHT	140	160	185	210	240	280

CAMO TIP 7

INTERMEDIATE / FLOATING

FRESHWATER

LINE LENGTH: 90ft

Camo Tip 7 is designed to be fished in the top two feet of water over weed beds and along shorelines.

- 7ft Clear Camo Intermediate Tip
- Floating Running Line
- Easy Handling

CLEAR CAMO / OLIVE

CORE: MONOFILAMENT



SIZE WF	5	6	7
GRAIN WEIGHT	140	160	185

TROPIC PLUS
SERIES

DESIGNED TO DELIVER THE BEST PERFORMANCE IN TROPIC CONDITIONS

Tropic Plus Series fly lines are treated with specially formulated primers for optimum adhesion and stiffness. The hard, durable surface coating allows these lines to shoot well and stay both stiff and slick in the hottest tropical conditions. Highly abrasion resistant, with unique taper profiles for each fly fishing application.

NEW PRODUCT

BONEFISH

WELDED LOOPS · ST · WARM · TROPICAL

FLOATING

SALTWATER

LINE LENGTH: 105ft



The Bonefish line features an aggressive taper that loads rods easily for close shots. Elongated rear taper provides excellent loop control when you need to carry line for long range targets.

- Aggressive Front Taper
- Smooth Casting
- Highly Accurate

WHITE / SKY BLUE / PALE YELLOW



CORE: MONOFILAMENT

SIZE WF	6	7	8	9
GRAIN WEIGHT	160	185	210	240

ALL PURPOSE TAPER

WELDED LOOPS · ST · WARM · TROPICAL

FLOATING

SALTWATER

LINE LENGTH: 100ft



Tropic All Purpose Taper is our best all-around hot weather floating line for multi-species saltwater fly fishing.

- Smooth Casting
- High Floating
- All Purpose Taper

SAND / BLUE



CORE: MONOFILAMENT

SIZE WF	6	7	8	9	10	11	12
GRAIN WEIGHT	160	185	210	240	280	330	380

GT / TUNA

FLOATING

SALTWATER

LINE LENGTH: 100ft



Features Grip Set (GS) technology and a super durable braided nylon multifilament core.

- Fifty Pound Plus Core
- High Floating
- Grip Set Running Line

LIGHT BLUE / YELLOW



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	11	12	13
GRAIN WEIGHT	330	380	450

TROPIC COMPACT

FLOATING

SALTWATER

LINE LENGTH: 100ft

Ideal for throwing large air resistant flies or punching a cast into the wind. Tropic Plus Compact stays slick and hard in extreme heat.

- Aggressive Short Head
- High Floating
- Grip Set And Shooting Technology

PALE YELLOW / AQUA BLUE



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5/6	6/7	7/8	9/10	11/12
GRAIN WEIGHT	200	240	275	350	425

HELL'S BAY
HB
BOAT WORKS

BILLFISH INTERMEDIATE

WELDED LOOPS · ST · WARM · TROPICAL

INTERMEDIATE / FLOATING

SALTWATER

LINE LENGTH: 65ft

Features a 9ft clear intermediate tip to allow the use of shorter leaders without spooking fish.

- Tropic Plus Coating
- Heavy Monofilament Core
- 9ft Clear Intermediate Tip

CLEAR / CHARTREUSE



CORE: MONOFILAMENT

SIZE WF	13	14	15
GRAIN WEIGHT	430	480	530

BILLFISH SINKING

WELDED LOOPS · 50+ · ST · WARM · TROPICAL

SINKING / FLOATING

SALTWATER

LINE LENGTH: 90ft

30ft heavy sinking head with a bright orange tip to track your fly through the prop wash. Fifty pound braided nylon core gives you extreme stopping power.

- Hi-Vis Tip
- 30ft Type 6 Sinking Head
- Fifty Pound Plus Core

ORANGE / BLACK



CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	13-15
GRAIN WEIGHT	600

INTERMEDIATE

INTERMEDIATE

SALTWATER LINE LENGTH: 90ft

Super-slow sinking, thin-diameter line that excels in windy conditions where a slim profile provides a casting advantage.

- Full Intermediate
- Easy Casting
- Tropic Plus Coating

SMOKE



CORE: MONOFILAMENT

SIZE WF	8	9	10	11	12
GRAIN WEIGHT	210	240	280	330	380

TARPON TAPER

FLOATING

SALTWATER LINE LENGTH: 90ft

Built with our hard, durable and smooth Tropic Plus coating on a solid monofilament core to withstand the blistering heat of long hours on the deck of a flats skiff.

- Quick Loading
- Accuracy and Control
- High Floating

AQUA GREEN



CORE: MONOFILAMENT

SIZE WF	10	11	12
GRAIN WEIGHT	280	330	380

HI-VIS FLIP

WELDED LOOPS · ST · WARM · TROPICAL

FLOATING

SALTWATER

LINE LENGTH: 100ft

Designed by the legendary Flip Pallot, the Hi-Vis Flip fly line is highly visible and excels in both short and long-range casts.

- Highly Visible
- Loads Quickly
- Short Belly Taper

HI-VIS ORANGE / WHITE

CORE: MONOFILAMENT



SIZE WF	6	7	8	9	10	11
GRAIN WEIGHT	185	210	240	280	330	380

HEAVY SINK

WELDED LOOPS · 50+ · ST · WARM · TROPICAL

SINKING / INTERMEDIATE

SALTWATER

LINE LENGTH: 100ft

Built with a stiff tropic jacket and a highly abrasion resistant fifty pound core. Features a 30ft fast sinking head paired with a super slick intermediate running line.

- 30ft Sinking Head
- Intermediate Running Line
- Fifty Pound Plus Core

BLACK / SMOKE

CORE: BRAIDED NYLON MULTIFILAMENT



GRAIN WEIGHT	400	450	500

GHOST TIP
9 / 15

INTERMEDIATE / FLOATING

SALTWATER

LINE LENGTH: 90ft

Tropic Plus Ghost Tip is the go-to line for stealthy presentation in shallow saltwater.

- 9ft / 15ft Clear Intermediate Tip
- High Floating Running Line
- Tropic Plus Coating





CLEAR / SAND
9ft TIP

CLEAR / AQUA
15ft TIP

CORE: MONOFILAMENT

SIZE WF GHOST TIP 9ft	8	9	10	11	12	13
SIZE WF GHOST TIP 15ft	-	-	10	11	12	13
GRAIN WEIGHT	210	240	280	330	380	450

LIQUID CRYSTAL *SERIES*

PROVEN AND DESIRED BY THE HARDCORE SALTWATER ANGLERS

Liquid Crystal Series fly lines are virtually invisible in the water as they are made by extruding a proprietary blend of clear polyethylene and advanced copolymers over a monofilament core. The hard PE+ coating has a super-smooth finish with an exceptionally low coefficient of friction so it shoots faster and farther. The coating is permanently fused to the monofilament core so there is no line stretch – for unequalled strike detection and instantaneous hooksets.

GUIDE

WELDED LOOPS · PE · ST · WARM · TROPICAL

FLOATING

SALTWATER LINE LENGTH: 100ft

Built for today's modern action rods. Ability to perform quick shots and shoot long distances.

- Visible Seafoam Color
- Aggressive Taper
- Minimal Line Stretch

SEAFOAM

CORE: MONOFILAMENT



SIZE WF	5	6	7	8	9	10	11	12	13
GRAIN WEIGHT	150	170	200	225	260	305	355	415	475

FLATS TAPER

WELDED LOOPS · PE · ST · WARM · TROPICAL

FLOATING

SALTWATER LINE LENGTH: 100ft

Toughest floating fly line that is great for tropic environments.

- Slick Shooting
- Minimal Line Stretch
- Highly Visible Sky Blue
- Full Clear Floating

SKY BLUE CLEAR

CORE: MONOFILAMENT



SIZE WF	5	6	7	8	9
GRAIN WEIGHT	140	160	185	210	240

TARPON TAPER

FLOATING

SALTWATER

LINE LENGTH: 100ft

Toughest floating fly line that is great for tropic environments and bigger fish.

- Hard PE+ Coating
- Slick Shooting
- Full Clear Floating
- Highly Visible Sky Blue



CLEAR SKY BLUE

CORE: MONOFILAMENT

SIZE WF	10	11	12	13
GRAIN WEIGHT	280	330	380	450

CLASSIC
SERIES

TRIED AND TRUE, THESE LINES ARE BUILT TO LAST

In 1915 Cortland Line began manufacturing the first “tapered” fly lines. Then in 1953 Cortland introduced the 333 fly line series, and in 1962 the 444 series. Our fly lines are still manufactured and hand inspected in Cortland, New York with the latest advancements in fly line technology. Styled after our fly line boxes of the 1920’s-30’s, the Classic Series pays respect to our history.

444 PEACH

444 FLY LINE

FLOATING

FRESHWATER

LINE LENGTH: 90ft





One of the all-time classics, the Cortland 444 "peach" line has set a standard for durability and all-round performance for over 50 years.

- Weight Forward or Double Taper
- Ultra Supple
- High Floating

PEACH

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	3	4	5	6	7	8	9
SIZE DT	3	4	5	6	7	8	9
GRAIN WEIGHT	100	120	140	160	185	210	240

444 SYLK

444 FLY LINE

FLOATING

FRESHWATER

LINE LENGTH: 90ft





444 Classic Sylk is the first modern line designed specifically for fine bamboo rods.

- Weight Forward or Double Taper
- Ultrathin Diameter
- Color of Natural Oiled Silk

MUSTARD

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	-	3	4	5	6	7	8
SIZE DT	2	3	4	5	6	-	-
GRAIN WEIGHT	80	100	120	140	160	185	210

444 SL

444 FLY LINE

WELDED LOOP · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 105ft

- Harder Reduced-Friction Finish
- Front Welded Loop
- Legendary Green Color

MINT GREEN

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	3	4	5	6	7	8	9
GRAIN WEIGHT	100	120	140	160	185	210	240

MODERN TROUT

444 FLY LINE

WELDED LOOP · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 90ft

- Ultimate Performance
- Controlled Taper Design
- All Purpose Aggressive Taper

MOSS GREEN ORANGE

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	3	4	5	6
GRAIN WEIGHT	110	130	150	170

TROPIC ALL PURPOSE

444 FLY LINE

WELDED LOOP · WARM · TROPICAL

FLOATING

FRESHWATER / *SALTWATER*

LINE LENGTH: 90ft

- Low-Memory, Resists Tangling
- Durable Hard Finish
- Front Welded Loop

SAND

CORE: MONOFILAMENT



SIZE WF	5	6	7	8	9	10	11	12
GRAIN WEIGHT	140	160	185	210	240	280	330	380

SPRING CREEK

444 FLY LINE

WELDED LOOP · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 90ft



- Remains Supple in Cold Conditions
- Front Welded Loop
- Color That Eliminates Line Flash

OLIVE

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	2	3	4	5	6
GRAIN WEIGHT	80	100	120	140	160

BIG SHOT

444 FLY LINE

WELDED LOOP · COLD · WARM

FLOATING

FRESHWATER

LINE LENGTH: 90ft



- Built a Full Line Size Heavy
- Low-Friction Coating
- Low-Memory, Resists Tangling

SKY BLUE

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5	6	7	8	9
GRAIN WEIGHT	160	185	210	240	280

FULL SINKING TYPE 3

444 FLY LINE

WELDED LOOP · COLD · WARM

FULL SINKING

FRESHWATER

LINE LENGTH: 90ft



- Slick-Shooting
- Front Welded Loop
- Sink Rate 3–4 IPS

BROWN

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	4	5	6	7	8	9
GRAIN WEIGHT	120	140	160	185	210	240

FULL SINKING TYPE 6

444 FLY LINE

WELDED LOOP · COLD · WARM

FULL SINKING

FRESHWATER

LINE LENGTH: 90ft

- Slick-Shooting
- Front Welded Loop
- Sink Rate 6–7 IPS

BLACK

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	5	6	7	8
GRAIN WEIGHT	140	160	185	210

SINK TIP TYPE 3

444 FLY LINE

WELDED LOOP · COLD · WARM

SINKING / FLOATING

FRESHWATER

LINE LENGTH: 90ft

- Super-Smooth Finish on Floating Section
- 10ft Fast-Sinking Tip
- Sink Rate 3-4 IPS

BROWN / PEACH

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	4	5	6	7	8	9
GRAIN WEIGHT	120	140	160	185	210	240

SINK TIP TYPE 6

444 FLY LINE

WELDED LOOP · COLD · WARM

SINKING / FLOATING

FRESHWATER

LINE LENGTH: 90ft

- Super-Smooth Finish on Floating Section
- 10ft Fast-Sinking Tip
- Sink Rate 6-7 IPS

BLACK / MINT GREEN

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	4	5	6	7	8	9
GRAIN WEIGHT	120	140	160	185	210	240

CLEAR CAMO INTERMEDIATE

444 FLY LINE

WELDED LOOP · COLD · WARM

INTERMEDIATE

FRESHWATER / *SALTWATER*

LINE LENGTH: 90ft



- Slow Sinking
- Virtually Invisible
- Sink Rate 1.5–2 IPS

CLEAR CAMO

CORE: MONOFILAMENT

SIZE WF	4	5	6	7	8	9	10	11	12
GRAIN WEIGHT	120	140	160	185	210	240	280	330	380

CLEAR INTERMEDIATE

444 FLY LINE

WELDED LOOP · COLD · WARM

INTERMEDIATE

FRESHWATER / *SALTWATER*

LINE LENGTH: 90ft



- Slow Sinking
- Virtually Invisible
- Sink Rate 1.5–2 IPS

CLEAR

CORE: MONOFILAMENT

SIZE WF	4	5	6	7	8	9	10	11	12
GRAIN WEIGHT	120	140	160	185	210	240	280	330	380

INTERMEDIATE

444 FLY LINE

WELDED LOOP · COLD · WARM

INTERMEDIATE

FRESHWATER / *SALTWATER*

LINE LENGTH: 90ft



- Thin Diameter
- Resists Tangling
- Sink Rate 1.5–2 IPS

ICE BLUE

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5	6	7	8
GRAIN WEIGHT	140	160	185	210

333 FULL SINKING TYPE 3

333 FLY LINE

COLD WARM

FULL SINKING

FRESHWATER / *SALTWATER*

LINE LENGTH: 90ft



- Ideal for Fishing at Moderate Depths
- Great Trolling Line with a Steady Drop
- Perfect Presentation to Suspended Fish

BROWN

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5	6	7	8	9
GRAIN WEIGHT	140	160	185	210	240

333 TROUT / ALL PURPOSE

333 FLY LINE

COLD WARM

FLOATING

FRESHWATER

LINE LENGTH: 90ft



- High-Floating
- All Purpose
- Modified Long-Belly Taper

YELLOW

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	3	4	5	6	7	8	9	10
GRAIN WEIGHT	100	120	140	160	185	210	240	280

333 SALTWATER FLOATING

333 FLY LINE

WARM TROPICAL

FLOATING

SALTWATER

LINE LENGTH: 90ft



- Stiff PVC Coating
- Easy Casting
- Accurately Casts Larger Flies

YELLOW

CORE: MONOFILAMENT

SIZE WF	7	8	9	10
GRAIN WEIGHT	185	210	240	280

ULTRA PREMIUM
FLUOROCARBON TIPPET

TOP SECRET

With extensive research, development and field testing, we are proud to announce the most premium Fluorocarbon Tippet offering on the market. This tippet is formulated with a "Top Secret" blend giving it the perfect balance of knot strength, suppleness and abrasion resistance.

LENGTHS: 30yd | 100yd

SIZE	0X	1X	2X	3X	4X	5X	6X	7X	8X
BREAK STRENGTH	15.9lb	12.9lb	10.9lb	9.6lb	8.4lb	5.7lb	3.9lb	2.9lb	1.9lb

BEST NEW TIPPET MATERIAL
FLY FISHERMAN
GEAR GUIDE 2018

ULTRA PREMIUM
FLUOROCARBON TIPPET
4X
8.4lb

2X

CORTLAND
TOP SECRET
0X
15.9lb
7.2kg
100yd | 91m SPOOL
PREMIUM PERFORMANCE
ULTRA PREMIUM
FLUOROCARBON TIPPET

CORTLAND
TOP SECRET
5X
0.006in | 0.152mm
5.7lb
2.6KG
30yd | 27m SPOOL
PREMIUM PERFORMANCE
ULTRA PREMIUM
FLUOROCARBON TIPPET
PRODUCT OF JAPAN
ASSEMBLED IN USA

NYLON
TIPPET

Copolymer Nylon Tippet is super-strong and highly abrasion resistant. The high tensile strength, controlled stretch and smooth finish are a perfect combination, providing more suppleness with outstanding knot strength.

LENGTHS: 30yd | 100yd

SIZE	0X	1X	2X	3X	4X	5X	6X	7X
BREAK STRENGTH	18.8lb	15.5lb	12.9lb	9.8lb	8.4lb	6lb	4.2lb	2.8lb

NEW PRODUCT

SUPER SUPPLE
NYLON TIPPET

Cortland's Super Supple Nylon tippet is the ideal material for delicate presentations and small flies. The supple nylon material provides superior knot strength and a controlled stretch for ultimate forgiveness when fighting big fish.

LENGTHS: 30yd

SIZE	3X	4X	5X	6X	7X
BREAK STRENGTH	8.8lb	7.2lb	4.8lb	3.7lb	2.6lb

FLUOROCARBON
TIPPET

Fluorocarbon tippet provides high strength and abrasion resistance, low underwater visibility and excellent knot strength for fishing in situations where extreme stealth is required.

LENGTHS: 30yd

SIZE	0X	1X	2X	3X	4X	5X	6X	7X
BREAK STRENGTH	12lb	10lb	9lb	7lb	5.5lb	4.5lb	3.1lb	2lb

NYLON
TAPERED LEADER

Nylon Leaders are extruded from high-tenacity copolymers for an exceptional blend of abrasion resistance and knot strength. The supple nylon material ensures flies are presented delicately.

2 PACK: 7.5ft, 9ft, 12ft
1 PACK: 15ft

LENGTHS: 7.5ft | 9ft | 12ft | 15ft

SIZE	0X	1X	2X	3X	4X	5X	6X	7X
BREAK STRENGTH	15.9lb	13lb	10.2lb	8.6lb	7.2lb	5.4lb	3.9lb	2.5lb

FLUOROCARBON
TAPERED LEADER

Fluorocarbon Leaders are built to be virtually invisible under water and have incredible knot strength. Elongated taper design allows for more positive turnover and less wind knots.

LENGTHS: 9ft

SIZE	0X	1X	2X	3X	4X	5X	6X	7X
BREAK STRENGTH	12.5lb	10.1lb	8.5lb	7.1lb	5.3lb	4.5lb	3.2lb	2.5lb

SALTWATER
NYLON TAPERED LEADER

Made from premium medium stiff nylon material for the best combination of knot strength and abrasion resistance. Built with a pre-tied perfection loop for easy rigging.

LENGTHS: 9ft | 12ft

LB TEST	8lb	10lb	12lb	16lb	20lb
DIAMETER	.011in	.012in	.014in	.015in	.017in



FLUOROCARBON
LEADER MATERIAL

Fluorocarbon Leader Material incorporates a glass smooth, virtually invisible finish with superior knot strength and abrasion resistance. This proprietary blend of fluorocarbon is designed specifically for the demands of hardcore anglers and the species they pursue.

LENGTHS: 30yd | 100yd

LB TEST	6lb	8lb	10lb	12lb	16lb	20lb	25lb	30lb	40lb	50lb	60lb	80lb	100lb
DIAMETER	.007in	.009in	.011in	.012in	.014in	.015in	.018in	.021in	.024in	.025in	.029in	.035in	.041in

MONOFILAMENT
LEADER MATERIAL

Monofilament Leader Material has the perfect balance of knot strength, suppleness, durability and abrasion resistance.

LENGTHS: 30yd | 100yd

LB TEST	8lb	10lb	12lb	16lb	20lb	30lb	40lb	50lb	60lb	80lb	100lb
DIAMETER	.007in	.009in	.010in	.012in	.013in	.020in	.023in	.027in	.029in	.034in	.037in

IGFA
LEADER MATERIAL

IGFA Leader Material is designed to have the perfect blend of stiffness and diameter in relation to its break strength. This material is formulated to fall within the IGFA specs in each class size while maintaining all the necessary performance characteristics.

LENGTHS: 30yd | 100yd

LB TEST	4lb	6lb	8lb	12lb	16lb	20lb
DIAMETER	.007in	.009in	.011in	.013in	.015in	.017in

NEW PRODUCT

INDICATOR MONO
LEADER MATERIAL

Cortland offers a lineup of Indicator Monofilament intended to help you build visible leaders, which help with strike detection.

THREE COLOR OPTIONS: BICOLOR (RED/YELLOW), YELLOW, WHITE

LENGTHS: 50ft

LB TEST	8lb	9lb	10.5lb	11.8lb	12.4lb	13.9lb
DIAMETER	.009in	.010in	.011in	.012in	.013in	.014in

SST 10
LEADER MATERIAL

SST 10 is a supple, nylon-coated, multistrand stainless steel leader material that knots easily but is tough enough to stand up to the sharpest teeth. Cortland's SST 10 is for every size and shape of toothy species, from northern pike and musky to bluefish.

LENGTHS: 10ft

LB TEST	10lb	15lb	20lb	35lb	50lb
DIAMETER	.012in	.015in	.017in	.021in	.025in

SLIP-ON LEADER LOOPS - 4PK
LEADER ACCESSORY

Cortland's popular slip-on leader loops, built from our braided monofilament. Just slide over the tip of your fly line and secure with a band of shrink tubing (included).

NON-FLOATING: 30LB, 50LB IN CLEAR OR YELLOW
FLOATING: 30LB, 50LB IN CLEAR



MICRON
BACKING

World famous for its tight, round braid, smooth low-friction finish and stretch-resistant performance, Micron is manufactured from premium Dacron fibers. Tangle-free and knots perfectly every time.

- YELLOW
- PINK
- BLUE
- ORANGE
- WHITE

LENGTHS: 100yd | 250yd | 1000yd | 2500yd

LB TEST	20lb	30lb

GEL SPUN
BACKING

Cortland's Gel Spun backing is made from high-strength gel-spun fibers, braided to exact specifications. Tight, round braid allows you to pack a lot of backing onto small spools.

- YELLOW
- PINK
- BLUE
- WHITE

LENGTHS: 300yd | 2500yd

LB TEST	30lb	50lb	80lb

BRAIDED MONO
EXTENSION

Features a unique coating for easy handling, low friction and added suppleness. This product is ideal for shooting / running lines and building loops to connect shooting heads, tips and backing.

- WHITE

LENGTHS: 100ft | 500ft

LB TEST	20lb	30lb	50lb

TROLLING LINE
EXTENSION

150ft overall line length with a Type 3 sink rate. The Level Trolling line can be used on rod sizes 5-8 weight. Braided nylon multifilament core keeps the line supple in cold water.

GRAY

LENGTHS: 150ft

LINE WEIGHT	5 - 8

LEVEL SINKING
EXTENSION

Designed for shooting heads, trolling and sink-tips. The medium stiff mono core is ideal for stripping the PVC jacket and creating a loop for quick and easy tip, head and leader changes. Rated in Grains Per Foot (GPF) and Inches Per Second (IPS).

BLACK

LENGTHS: 150ft | 500ft

LINE WEIGHT	6-7IPS (10GPF)	6-7IPS (25GPF)	8-9IPS (15GPF)	10+IPS (20GPF)

SHOOTING / RUNNING LINE
EXTENSION

Ideal for use with shooting heads. Built on a braided nylon multifilament core with a stiff, hard finish and resists tangling when retrieved.

MINT GREEN

LENGTHS: 100ft

SIZE LEVEL	.027in	.031in	.035in	.040in

TIPPET RINGS - 10PK
TIPPET & LEADER ACCESSORY

Tippet rings are made from high quality stainless steel and finished in stealthy nickel black. They are the perfect solution for super-fast rigging of leader to tippet connections. Strong and lightweight, perfect for dry fly, nymphing and streamer fishing.

SIZE	2mm	3mm

NEW PRODUCT

FLY LINE CLEANER
LUBRICANT & PADS

Cortland's Fly Line Cleaner is offered in a 2oz bottle with dry pads, which is ideal for guides, captains and anglers looking to clean a lot of lines. The best silicone-based cleaning and dressing material available.

NEW PRODUCT

FLY LINE CLEANER PADS - 5PK
LUBRICATED PADS

The pre-soaked pads allow anglers to clean and dress their line in one application. Perfectly sized for the wade angler.

COMPETITION NYMPH
PERFORMANCE FLY RODS

Competition Nymph Rods are built from high-modulus, ultra-sensitive graphite blanks and are weighted toward the butt to help maintain the optimum 45-degree angle without tiring your wrist. Specialty coating helps dampen vibration to prevent shock waves when presenting the fly. The thin tapered handle provides easy strike detection.

- 4-Piece Rod
- Hook Keeper
- Hard Cork Fighting Butt
- Single-Foot Guides
- Visible Orange Rod Case

COMPETITION NYMPH SPECS

MODEL	LENGTH	WEIGHT(oz)	FLY LINE WT
663954	**10.5ft**	**3.1**	**3**
663961	**10.5ft**	**3.2**	**4**

MKII NYMPH
PERFORMANCE FLY RODS

MKII Nymph Rods are perfect for Nymphing. Balanced weight and the main power in the butt section paired with a downward locking reel seat assists with proper technique. Ergonomic fighting butt provides correct weight distribution and necessary control. Durable, lightweight carbon fiber blank allows you to feel strike detection. Unique guide design allows knots to transition cleanly and assists in line control. The tip section is designed to be extremely light, yet soft enough to protect the finest tippet and not bounce fish.

- 4-Piece Rod
- Hook Keeper
- Hard Cork Fighting Butt
- Lowered Shooting Guide
- Visible Orange Rod Case

MKII NYMPH SPECS

MODEL	LENGTH	WEIGHT(oz)	FLY LINE WT
664913	**10ft**	**3.3**	**2**
664951	**10.5ft**	**3.4**	**3**
664968	**11ft**	**3.5**	**2**
664975	**11ft**	**3.6**	**3**

MKII
PERFORMANCE FLY RODS

MKII Rods are built to cover every situation. Designed to throw a tight loop with a long range floating line. Feature enough power across the blank to effortlessly cast a heavy sinking line. Premium grade cork has been used for the handles. Each of the rods features a comfortable fighting butt for extra control while fighting fish. Single foot guides and a stealthy unpainted finish round these rods off with an extremely tactical look.

- 4-Piece Rod
- Hook Keeper
- Hard Cork Fighting Butt
- Single-Foot Guides
- Visible Orange Rod Case

MKII SPECS

MODEL	LENGTH	WEIGHT(oz)	FLY LINE WT
664920	**10ft**	**4.1**	**6**
664937	**10ft**	**4.2**	**7**
664944	**10ft**	**4.3**	**8**

CORTLAND

CORTLAND
YETI

5H-KKC

THE AFRICAN TIGER
CAPT JACK PRODUCTIONS

Africa is best known for its wild safaris showcasing its impressive wildlife, with campfires and beautiful sunsets in the background. However, it also offers a Fly Fisherman a chance at a once-in-a-lifetime adventure, and an opportunity to try and tame...The African Tiger! Follow the Capt Jack Productions team, as they search for 'The African Tiger'. Armed to the teeth, and a ferocious alpha predator in all the rivers they are found, it is no easy task to get one to hand.

Since 2003, Tourette Fishing has been doing groundbreaking pioneer work in Africa, involved in Botswana, Lesotho, Gabon, Sudan and Tanzania. Mnyera and Ruhudji Rivers, part of Kilombero North Safaris portfolio of concessions, together offer one of the last remaining frontiers of freshwater fishing – as of November 2008 less than 15 individuals had fished these amazing waters.

Set deep in an untouched corner of the Tanzanian Wilderness, this area is famous for being home to monster 20lb+ tigers. The river banks are also home to big game and many rare and endemic bird species. The fly fishing discovery of this system in August 2008 has been widely acknowledged as one of the highlights in African Sport fishing over the past decade. To indicate the enormity of the discovery, in the past half-century that fly fisherman have been targeting tigers on fly, a 20lb fish was not landed.

CAPT JACK
PRODUCTIONS
EST. 2009

3736 KELLOGG ROAD,
CORTLAND, NY 13045

info@cortlandline.com
1. 607. 756. 2851

SINCE 1915

CORTLAND ONLINE

Visit Cortland's website to view our full product listing of Fly Lines, Tippet, Leaders, Backing, Extensions, Fly Rods, Accessories and Overstock items.

WWW.CORTLANDLINE.COM