

CORTLAND
2020 NEW PRODUCT GUIDE





TROUT SERIES

NEW PRODUCT LONG BELLY DISTANCE



FLOATING

FRESHWATER

LINE LENGTH: 100ft




Long Belly Distance is designed to hold more line in the air and cast long distances. The extended rear taper profile is ideal for mending and precise loop control.

- True Line Size
- 60ft Head Length
- High Floating

ORANGE / WHITE MOSS / WHITE

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	4	5	6	7	8
GRAIN WEIGHT	120	140	160	185	210





STREAMER SERIES

NEW PRODUCT STREAMER



FLOATING

FRESHWATER

LINE LENGTH: 100ft




Cortland's Streamer line is built with an aggressive short taper design to deliver large flies with ease. The over-weighted floating head loads rods quick and the two color profile is perfect for identifying taper points.

- Short Aggressive Taper
- Easily Casts Large Flies
- High Floating

 OLIVE / GREEN

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	5	6	7	8
GRAIN WEIGHT	160	185	210	240

NEW PRODUCT STREAMER SINK TIP 10

STREAMER SERIES



SINKING / FLOATING

FRESHWATER

LINE LENGTH: 100ft




Streamer Sink Tip 10 is built with an aggressive short taper design that features a 10ft type 6 sinking tip (6 Inches Per Second). The over-weighted head loads rods quick and easily casts all streamer patterns. Our Tungsten Tip Technology ensures your flies get down immediately.

- 10ft Type 6 Sink Tip
- Short Aggressive Taper
- Floating Running line

BLACK / OLIVE

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5	6	7	8
GRAIN WEIGHT	160	185	210	240



TUNGSTEN TIP TECHNOLOGY

Premium Tungsten material combined with unique tapers for fast sinking presentations.

NEW TECHNOLOGY

NEW PRODUCT STREAMER SINK TIP 15

STREAMER SERIES



SINKING / FLOATING

FRESHWATER

LINE LENGTH: 100ft




Streamer Sink Tip 15 is built with an aggressive short taper design that features a 15 ft type 6 sinking tip (6 Inches Per Second). The over-weighted head loads rods quick and easily casts all streamer patterns. Our Tungsten Tip Technology ensures your flies get down immediately. Designed for larger rivers with deep and fast currents.

- 15ft Type 6 Sink Tip
- Short Aggressive Taper
- Floating Running line

BLACK / GREEN

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	5	6	7	8
GRAIN WEIGHT	160	185	210	240



TUNGSTEN TIP TECHNOLOGY

Premium Tungsten material combined with unique tapers for fast sinking presentations.

NEW TECHNOLOGY



SPECIALTY SERIES

NEW PRODUCT BASS



FLOATING

FRESHWATER

LINE LENGTH: 100ft




Bass taper is built with an aggressive short taper profile to deliver large flies with ease. The two color profile is perfect when identifying load points for maximum distance.

- Short Aggressive Taper
- Easily Casts Large Flies
- High Floating

ORANGE / WHITE

CORE: MONOFILAMENT



SIZE WF	5	6	7	8	9
GRAIN WEIGHT	160	185	210	240	280

NEW PRODUCT SALMON STEELHEAD

SPECIALTY SERIES



FLOATING

FRESHWATER

LINE LENGTH: 100ft




Salmon Steelhead is a long belly taper design that roll casts and mends easily. The short front taper and over-weighted head is perfect for turning over indicators, streamers, nymph rigs and bombers.

- 65ft Head Length
- Aggressive Front Taper
- High Floating

 MOSS / WHITE  ORANGE / WHITE

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE WF	6	7	8	9	10
GRAIN WEIGHT	185	210	240	280	330

NEW PRODUCT RUNNING LINE



FLOATING

FRESHWATER

LINE LENGTH: 100ft




Ideal for chuck and duck style fishing and nymphing. Built on a braided nylon multifilament core with a stiff, hard finish and resists tangling when retrieved.

- Dual Welded Loops
- High Floating
- Level Line

 MINT GREEN

CORE: BRAIDED NYLON MULTIFILAMENT



SIZE LEVEL	.027in	.031in	.035in	.040in
------------	--------	--------	--------	--------



TROPIC PLUS SERIES

NEW PRODUCT REDFISH



FLOATING

SALTWATER

LINE LENGTH: 100ft




Tropic Plus Redfish Line is built to load rods quick and turn over large or heavy fly patterns. The Tropic Plus coating keeps the line hard and slick in hot weather for maximum shoot-ability.

- Short Aggressive Taper
- Hard Tropic Coating
- Quick Loading

SEAFOAM GREEN / TAN

CORE: MONOFILAMENT



SIZE WF	6	7	8	9	10
GRAIN WEIGHT	170	200	225	260	305



CORTLAND

YETI

Howlin'
AND THE
THE



COLD SALT SERIES

NEW PRODUCT REDFISH



FLOATING

SALTWATER

LINE LENGTH: 100ft




Cold Salt Redfish line is built using a braided nylon multifilament core to remain supple in cold conditions. The short aggressive taper design is ideal for presenting large or weighted fly patterns with minimal effort.

- Short Aggressive Taper
- Supple Coating
- Quick Loading

 AQUA GREEN /SKYBLUE

CORE: BRAIDED NYLON MULTIFILAMENT

SIZE WF	6	7	8	9	10
GRAIN WEIGHT	170	200	225	260	305



COLD SALT TECHNOLOGY

A supple yet extremely durable saltwater coating allowing for a memory free line in cold conditions.

NEW TECHNOLOGY



NEW SIZES

ULTRA PREMIUM FLUOROCARBON TIPPET



With extensive research, development and field testing, we are proud to announce the most premium Fluorocarbon Tippet offering on the market. This tippet is formulated with a "Top Secret" blend giving it the perfect balance of knot strength, suppleness and abrasion resistance.



LENGTHS: 30yd | 100yd

SIZE	03X	02X	01X	0X	1X	2X	3X	4X	5X	6X	7X	8X
BREAK STRENGTH	24.7lb	19.6lb	17.3lb	15.9lb	12.9lb	10.9lb	9.6lb	8.4lb	5.7lb	3.9lb	2.9lb	1.9lb



NEW SIZES**INDICATOR MONO****LEADER MATERIAL**

Cortland offers a lineup of Indicator Monofilament intended to help you build visible leaders, which help with strike detection.

THREE COLOR OPTIONS: BICOLOR (RED/YELLOW), YELLOW, WHITE

LENGTHS: 50ft

LB TEST	6.3lb	7.2lb	8lb	9lb	10.5lb	11.8lb	12.4lb	13.9lb
DIAMETER	.007in	.008in	.009in	.010in	.011in	.012in	.013in	.014in

**NEW PRODUCT****TIE-ABLE STAINLESS STEEL****LEADER MATERIAL**

Tie-able Stainless Steel is a supple, nylon-coated, 1x19 construction stainless steel leader material that knots easily but is tough enough to stand up to the sharpest teeth. Cortland's Tie-able Stainless Steel is for every size and shape of toothy species, from northern pike and musky to bluefish.

LENGTHS: 15ft

LB TEST	10lb	15lb	20lb	35lb	50lb
DIAMETER	.012in	.015in	.017in	.021in	.025in

**NEW PRODUCT****EURO NYMPH****LEADER MATERIAL**

Euro Nymph Leader material is a camoflage colored nylon featuring a super-slick finish. A perfect blend between stiffness and suppleness allows you to deliver heavy tungsten fly patterns with ease yet the line remains memory free in your hands. Perfect for building Nymph rigs and tapering your own dry fly or dry dropper leaders

LENGTHS: 50yd

LB TEST	6lb	8lb	10lb	12lb	14lb	17lb	20lb
DIAMETER	.008in	.010in	.012in	.013in	.014in	.015in	.017in



NEW COLOR

MICRON BACKING

World famous for its tight, round braid, smooth low-friction finish and stretch-resistant performance, Micron is manufactured from premium Dacron fibers. Tangle-free and knots perfectly every time.



LENGTHS: 100yd | 250yd | 1000yd | 2500yd | 5000yd

LB TEST	20lb	30lb
---------	------	------



NEW PRODUCT

SPLICEABLE HOLLOW CORE SUPERBRAID FLY LINE BACKING

Spliceable Hollow Core fly line backing is specifically designed to splice in fly lines for a knotless backing connection. Ideal for big game species such as Tuna, Marlin, Tarpon, and Giant Trevally. The 16 carrier Hollow Core construction provides extreme abrasion resistance yet remains incredibly smooth to the touch.



LENGTHS: 600yd | 3500yd

LB TEST	60lb	80lb
---------	------	------



NEW PRODUCT

BRAIDED MONO

LOOPING MATERIAL

Braided Mono Looping material is perfect for those looking to build their own leader loops and "splice" fly lines. Ideal for loop to loop connections, sink tips, shooting heads and backing.

WHITE

LENGTHS: 100ft

LB TEST	20lb	30lb	50lb
---------	------	------	------



NEW PRODUCT

WAXED BRAIDED MONO


SHOOTING LINE

Waxed Braided Mono - Features a unique coating for easy handling, low friction and added suppleness. Ideal for shooting and running lines.

WHITE

LENGTHS: 100ft

LB TEST	20lb	30lb	50lb
---------	------	------	------



NEW PRODUCT

CROWN REEL

PERFORMANCE FLY REELS

Cortland's Crown series mid-arbor disc drag fly reel is machined from aircraft grade aluminum and hard anodized for corrosion resistance. The Crown Series fly reels incorporate a light-weight design while providing structural strength and durability. The center disc drag features a wide range of adjustment with low start up inertia for increased line protection. The counter weighted mid-arbor spool allows for increased line capacity and incorporates a locking knob for a tight tolerance. Easy change left/right retrieve. Available in two sizes from 3WT - 7WT. Cortland branded neoprene reel bag included.

- Machined and Anodized
- Aircraft Grade Aluminum
- Center Disc Drag
- Mid Arbor Spool Design
- Over-sized Drag Knob
- Wide Drag Range
- Left/Right Retrieve
- Neoprene Reel Bag

CROWN REEL SPECS

FLY LINE WT	DIA.	WEIGHT(oz)	SPOOL
3-5	3 3/16"	4.6	MID ARBOR
5-7	3 7/16"	4.8	MID ARBOR

3 | 5 CROWN REEL CAPACITIES

FLY LINE	+	FLY LINE BACKING
WF3F (90')	+	220yds 20lb MICRON
WF4F (90')	+	200yds 20lb MICRON
WF5F (90')	+	180yds 20lb MICRON
.022" DT BRAID CORE	+	225yds 20lb MICRON

5 | 7 CROWN REEL CAPACITIES

FLY LINE	+	FLY LINE BACKING
WF5F (90')	+	300yds 20lb MICRON
WF6F (90')	+	280yds 20lb MICRON
WF7F (90')	+	260yds 20lb MICRON





NEW PRODUCT

NYMPH

PERFORMANCE FLY RODS

Cortland's Nymph series fly rods were specifically designed for modern nymphing techniques. Built on a super light graphite blank which dampens and recovers quickly for exceptional feel. The low reflective, matte black finish allows for an extremely stealthy approach while providing an addition layer of protection. The down-locking reel seat combined with the composite fighting butt allows for exceptional balance and fast hook sets. Nymph Series fly rods feature over-sized light wire single foot guides for easier passage of fly line, monofilament and knots. All ferrules and guides are coated with highly durable epoxy, resisting cracks, flex stress and excessive knots. Finished with alignment dots, size specific rod bags and a protective cordura rod tube.

NYMPH SPECS

LENGTH	FLY LINE WT	WEIGHT(oz)
10ft 6In	2	3.6
10ft 6In	3	3.8
10ft 6In	4	3.9

- 4 Piece Graphite Blank With Matte Finish
- Anodized Down-locking Reel Seat
- Dual Locking Rings
- Premium Ferrule & Guide Epoxy
- Over-sized Light Wire Single Foot Guides
- High-grade Cork
- Cork Composite Fighting Butt
- Alignment Dots
- Finished with Rod Bag and Cordura Rod Tube



NEW SIZES

MASTER BRAID SUPER BRAID



Cortland Master Braid™ is the most consistently performing super braid, ideal for a wide variety of freshwater and saltwater applications. Implementing Cortland's Opti-Con™ Technology, gel-spun fibers are woven into a tighter and stronger braid that stacks better on the reel.

Master Braid is treated with FiberTech® protection that bonds to the individual gel-spun fibers, which adds body and improves handling of the line. This super braid excels at strike detection, instantaneous hooksets and longer casts. With exceptional strength and low stretch, Master Braid doesn't require a break-in period and maintains its body and handling cast after cast for an extended life. ColorLast™ provides long-lasting color that does not bleed.



LENGTHS: 150yd | 200yd | 300yd | 600yd | 1500yd | 3500yd | 5000yd

LB TEST	5lb	8lb	10lb	15lb	20lb	30lb	40lb
	50lb	65lb	80lb	100lb	130lb	200lb	

BREAK STRENGTH (LB)	MONO EQUIVALENT	DIAMETER (INCHES)	DIAMETER (MM)	PICKS PER INCH	BRAID CARRIERS
5	LESS THAN 1	.004	.102	20	4
8	1	.005	.127	22	4
10	2	.006	.152	22	4
15	4	.009	.229	22	4
20	6	.010	.254	20	4
30	8	.012	.305	20	4
40	10	.013	.330	18	4
50	12	.014	.356	24	6
65	16	.016	.406	22	6
80	18	.020	.508	24	8
100	20	.023	.584	22	12
130	25	.026	.660	22	12
200	50	.036	.914	18	12



KEY BENEFITS

- Longer Casts
- Extended Life
- Minimal Line Drag
- Spinning or Conventional Reels
- Longest-Lasting Color
- Virtually No Stretch - High Sensitivity

NEW SIZES

C16

SPLICEABLE SUPER BRAID



Cortland's C16™ Super Braid is the most advanced gel-spun fiber, hollow core trolling line available for saltwater fishing today. Braided in our Cortland, New York, manufacturing facility from 16 gel-spun fibers, C16 line features a tight, round weave and uniform pick count (wraps per inch) for an exceptionally smooth surface that packs tightly on the spool with no flattening or digging in. Its fine diameter minimizes line drag when trolling or fighting fish, and the 16 carrier construction results in incredible resistance to nicks and abrasions during protracted fights with big fish.



The C16 line delivers extreme sensitivity and instant hooksets since the gel-spun fibers have virtually no stretch. C16 also features Cortland's proprietary FiberTech® super braid protection, a unique treatment (not a coating) which penetrates the weave and bonds with the individual gel-spun fibers to stiffen and improve the handling characteristics of the line. ColorLast provides a permanent color while FiberTech® reduces friction in the guides and increases the line's durability.

KEY BENEFITS

- Spliceable Hollow Core
- Smooth Surface Braid
- Longest-Lasting Color
- Fine Diameter
- Minimal Line Drag
- Strong Leader Connections

C16 is braided with Cortland's spliceable hollow core construction for fast and reliable splicing of end-loops for wind-on leaders or direct splices for top shots of Monofilament or Fluorocarbon.

CHARTREUSE
 BLUE
 WHITE

LENGTHS: 600yd | 1500yd | 3500yd

LB TEST	60lb	80lb	100lb	130lb	200lb
---------	------	------	-------	-------	-------

BREAK STRENGTH (LB.)	DIAMETER (INCHES)	DIAMETER (MM)	PICKS PER INCH	BRAID CARRIERS
60	.014	.356	25	16
80	.016	.406	30	16
100	.018	.457	23	16
130	.020	.508	20	16
200	.026	.660	17	16

NEW PRODUCT

SILENT FLIP SUPER BRAID



Cortland Silent Flip is a superior 16 – carrier super braid engineered specifically for flipping, pitching and punching through heavy cover. The 16 – carrier construction braid is designed to lay flat when in contact with structure or vegetation, creating a silent presentation. Smooth surface and tight weave, Silent Flip won't damage guides and allows bait to easily punch through heavy cover.



 MOSS GREEN

 BLACK


LENGTHS: 100YD

LB TEST	50LB	65LB
---------	------	------

KEY BENEFITS

- Silent Approach = More Bites
- Does Not Damage Guides
- Easily Punches through Heavy Cover

BREAK STRENGTH (LB)	MONO EQUIVALENT	DIAMETER (INCHES)	DIAMETER (MM)	PICKS PER INCH	BRAID CARRIERS
50	6	.009	.229	36	16
65	8	.011	.279	34	16





NEW PRODUCT
DROP SHOT
 LEADER MATERIAL

Drop Shot is a superior finesse leader material specifically engineered for Drop Shotting and Ultra Finesse applications. With no stretch and zero memory, this finesse leader material is 30% thinner than main line fluorocarbon. Cortland Drop Shot is extremely soft and supple with a perfect balance of knot strength and abrasion resistance.



LENGTHS: 25yd

LB TEST	5lb	8lb	10lb	12lb
DIAMETER	.006in	.008in	.009in	.010in



3736 KELLOGG ROAD,
CORTLAND, NY 13045

info@cortlandline.com
1 (800) 847 - 6787



CORTLAND ONLINE

Visit Cortland's website to view our full product listing of Fly Lines, Tippet, Leaders, Backing, Extensions, Fly Rods, Fly Reels and Fishing Accessories.

WWW.CORTLANDLINE.COM



SINCE 1915